

INDEX MAPS.

T. 0 N, R. 0 E. 2nd Mer.

	87		86		86		86		85		85	
89	6	111	5	105	4	101	3	97	2	93	1	85
	110		110		104		100		96		93	
89	7	109	8	104	9	100	10	96	11	92	12	84
	109		109		104		100		96		92	
88	18	108	17	103	16	99	15	95	14	92	13	84
	108		108		103		99		95		91	
88	19	107	20	103	21	99	22	95	23	91	24	84
	107		107		102		98		94		90	
88	30	106	29	102	28	98	27	94	26	90	25	83
	106		106		101		97		94		90	
87	31	105	32	101	33	97	34	93	35	89	36	83
	82		82		82		81		81		81	

Meanders 111

Meanders 111

T. 10 N, R. 0 E. 2nd Mer.

	120		120		120		119		119		119	
122	6	145	5	139	4	135	3	130	2	127	1	118
	145		145		139		135		131		126	
122	7	144	8	138	9	134	10	130	11	126	12	118
	144		144		138		134		130		125	
122	18	143	17	138	16	133	15	129	14	125	13	118
	143		142		137		133		129		125	
121	19	142	20	137	21	133	22	128	23	124	24	117
	142		141		136		132		128		124	
121	30	141	29	136	28	132	27	128	26	124	25	117
	140		140		136		132		127		123	
121	31	140	32	135	33	131	34	127	35	123	36	116
	116		116		115		115		115		115	

The figures on the lines refer to the page.

Township Lines.

South Boundary. Var. 7° 00' E.

West on the S. Boundary of Sec. 36

1.62 a Poplar 42 in. dia.

40.00 set of sec. post from which

a Beech 14 in. dia. bears S 50° W 8 lbs. dist. 8

a Do 6 " " " N 21° W 9 " "

51.00 a Branch 5 lbs. wide course N° W

59.74 a Poplar 36 in. dia.

80.00 set post cor. of sec. 35 & 36 from which

a Beech 7 in. dia. bears S 84° E 22 lbs. dist. 8

a Do 14 " " " S 80° W 20 " "

Rich soil, timber Ash, Oak, Beech, Poplar & Upr. Spice

West on the S. Boundary of Sec. 35

24.00 a Creek 40 lbs. wide course S° W

28.04 a Beech 14 in. dia.

40.00 set of sec. post from which

a Beech 21 in. dia. bears S 21° E 7 lbs. dist. 8

an Ash 10 " " " N 12° E 2 " "

80.00 set post cor. of sec. 34 & 35 from which

a W. Oak 8 in. dia. bears S 89° E 38 lbs. dist. 8

a Beech 4 " " " N 84° W 12 " "

Level rich land, timber Beech, Poplar, Oak, Hickory & Upr. Spice

West on the S. Boundary of Sec. 34

17.23 a Poplar 36 in. dia.

40.00 set of sec. post from which

a Beech 27 in. dia. bears S 69° E 17 lbs. dist. 8

a Poplar 60 " " " N 64° W 12 " "

61.00 a Branch 6 lbs. wide course S

70.30 an Oak 32 in. dia.

T. G. N., R. O. E. I. Mer. Ind.^a

80.00 set part cor. of sec. 33 & 34 from which
 a Beech 12 in. dia. bears S 52 E 6 lbs. dist. 8
 a Do 14 " " " N 31 W 14 " "
 Land &c. the same as last noted

West on the S. Boundary of Sec. 33

13.38 a Poplar 36 in. dia.

40.00 set of sec. part from which
 a Hickory 4 in. dia. bears S 31 E 8 lbs. dist. 8
 a Beech 21 " " " N 65 W 31 " "

80.00 set part cor. of sec. 32 & 33 from which
 a Beech 8 in. dia. bears S 61 W 4 lbs. dist. 8
 an Elm 20 " " " N 88 E 8 " "

First rate land, timber Walnut, Ash, Beech &c.
 Upr. Spice & Pawpaw June 5. 1819

West on the S. Boundary of Sec. 32

4.80 a Sycamore 40 in. dia.

37.00 River low grounds

40.00 set of sec. part from which
 a Hickory 6 in. dia. bears S 45 W 22 lbs. dist. 8
 an Elm 7 " " " N 56 E 17 " "

50.00 a large Creek, part of White River 200 lbs. wide
 course S 20 E

70.70 a Hackberry 24 in. dia.

80.00 set part cor. of sec. 31 & 32 from which
 a Hickory 14 in. dia. bears N 44 E 44 lbs. dist. 8
 a Hackberry 27 " " " S 45 W 34 " "
 Low ground, rich soil, timber Hackberry, Sycamore, Ash &c. Upr. Spice & Pawpaw

West on the S. Boundary of Sec. 31

40.00 set of sec. part from which
 a Hackberry 18 in. dia. bears S 47 W 45 lbs. dist. 8

T. G. N., R. O. E. L. Mer. Ind. a

an Ash 24 in. diameter N 14 E 48 ft. dist.
 57.80 set post on left bank of White River, course S 30 W,
 from which
 an Elm 6 in. diameter S 68 E 13 ft. dist.
 an Ash 6 " " " N 40 E 13 " "
 Land the same as last noted.
 East on the S. Boundary of Sec. 31
 74.74 set post on right bank of River from which
 a Cottonwood 9 in. diameter N 15 W 73 ft. dist.

East Boundary.

Readings at corner of T. 8 & 9 N., R. 6 & 7 E.
 a Beech 25 in. diameter N 50 E 11 ft. dist.
 a Hickory 7 " " " S 48 W 42 " "
 North on the E. Boundary of Sec. 36
 13.60 an Ash 12 in. dia.
 40.00 set of sec. post from which
 a Beech 6 in. diameter N 55 W 13 ft. dist.
 a Beech 4 " " " S 83 E 24 " "
 59.53 an Ash 15 " "
 69.00 a Creek 30 ft. wide course S W
 80.00 set post cor. of sec. 25 & 36 from which
 a Beech 20 in. diameter S 62 W 32 ft. dist.
 a Do 4 " " " N 25 E 13 " "
 Over level land, timber Beech, Ash, Elm &
 Wyr. Spruce, soil good

North on the E. Boundary of Sec. 25
 10.13 an Ash 12 in. dia.
 40.00 set of sec. post from which
 a Beech 30 in. diameter S 56 W 12 ft. dist.
 an Ash 6 " " " S 65 E 11 " "
 68.41 a Hickory 15 " "
 80.00 set post cor. of sec. 24 & 25 from which

T. G. N., R. O. E., 2^d Mer. Ind.^a

a Beech 22 in. dia. leans N 48 W 17 lbs. dist. 3

a Do 8 " " " S 44 E 18 " "

Over level ground, timber Beech, Ash, Hickory
v. Upr. Spice & soil good

North on E. Boundary of Sec. 24

..... a Beech 14 in. dia.

40.00 Set of sec. post from which

a Beech 10 in. dia. leans S 9 1/2 E 29 lbs. dist. 8

a Dogwood 4 " " " N 36 W 3 " "

48.80 a Beech 18 " "

72.40 a Creek 25 lbs. wide course S W

80.00 Set post cor. of Sec. 13 & 24 from which

a Beech 16 in. dia. leans S 30 E 6 lbs. dist. 8

a Bl. Ash 24 " " " N 48 W 15 " "

Over level ground, timber Beech, Ash & Upr. growth
Spice, soil good

North on the E. Boundary of Sec. 13

17.50 a Creek 150 lbs. wide course W

40.00 Set of sec. post from which

an Ash 7 in. dia. leans N 80 W 10 lbs. dist. 8

a Hackberry 10 " " " S 36 1/2 W 24 " "

53.03 a Beech 9 " "

80.00 Set post cor. of Sec. 12 & 13 from which

a Beech 18 in. dia. leans N 33 W 11 lbs. dist. 8

a Do 6 " " " S 68 E 6 " "

Over gently rolling land, timber Beech, Poplar,
Ash & Upr. Spice, soil good

North on the E. Boundary of Sec. 12

4.40 a Gum 15 in. dia.

40.00 Set of sec. post from which

a Beech 13 in. dia. leans S 20 1/2 E 22 lbs. dist. 8

T. 9 N., R. 6 E., 2^d Mer. Ind.^a

a Beech 15 in. dia. bears N 47° W 11 Ms. dist. 8
 79.17 a Poplar 18 " "
 80.00 set port cor. of sec. 1 & 12 from which
 a Beech 14 in. dia. bears N 57° W 7 Ms. dist. 8
 a Do 30 " " " S 37° E 26 " "
 Over level land, timber Beech, Poplar, Oak
 & Upr. Spruce. Soil good

North on the E. Boundary of Sec. 1
 32.10 a Poplar 60 in. dia.
 40.00 set q. sec. port from which
 an Ark Elm dia. bears S 9 1/2° E 9 Ms. dist. 8
 an Elm 6 " " " N 89° W 18 " "
 80.79 set temp. port for cor. of T. 9 & 10 N., R. 6 & 7 E.
 June 10, 1819

North Boundary.

Bearings at cor. of T. 9 & 10 N., R. 6 & 7 E.
 a Beech 7 in. dia. bears S 88° E 18 Ms. dist. 8
 a Do 30 " " " S 63° W 6 " "
 West on the S. Boundary of Sec. 36, T. 10 N., R. 6 E.
 40.00 set q. sec. port from which
 a Beech 41 in. dia. bears S 80° E 17 Ms. dist. 8
 a Do 6 " " " N 1° E 11 " "
 80.00 set port cor. of sec. 35 & 36 from which
 a — 7 in. dia. bears N 30° W 6 Ms. dist. 8
 a Do 16 " " " S 85° E 26 " "
 Over good farming land, timber Beech, Ark. &
 Upr. Spruce

West on the S. Boundary of Sec. 35, T. 10 N., R. 6 E.
 40.00 set q. sec. port from which
 a Beech 12 in. dia. bears N 57° W 9 Ms. dist. 8
 — 12 " " " S 64° E 47 " "

T. 9 N., R. 6 E. 2. Mer. Ind.?

~~60.00 Swamp NE 1/4 99~~

80.00 Set post cor. of sec. 34 & 35 from which
 a Beech 8 in. dia. bears N 84 E 18 lbs. dist. 18
 a Do 28 " " " S 58 W 31 " "
 Over good farming land, timber Beech, Ash,
 Poplar & Upr. Spice &c.

West on the S. Boundary of Sec. 34, T 10 N, R 6 E

40.00 Set q. sec. post from which
 an Ash 1 1/2 in. dia. bears N 49 E 10 lbs. dist. 18
 a Do 16 " " " S 59 W 16 " "

80.00 Set post cor. of sec. 33 & 34 from which
 a Beech 12 in. dia. bears N 18 E 3 lbs. dist. 8
 a Do 14 " " " S 18 W 38 " "
 Over good farming land, timber Beech, Ash &c.
 Under Spice

West on the S. Boundary of Sec. 33, T 10 N, R 6 E

40.00 Set q. sec. post from which
 a Sycamore 12 in. dia. bears S 34 W 29 lbs. dist. 18
 a Do 30 " " " S 4 W 22 " "
 the q. sec. post stands in edge of a beech 70 lbs. wide
 course S W

80.00 Set post cor. of sec. 32 & 33 from which
 an Ash 15 in. dia. bears N 85 E 30 lbs. dist. 18
 a Do 10 " " " S 87 W 30 " "
 Over good farming land, timber Beech, Ash,
 Oak &c. Under Spice

West on the S. Boundary of Sec. 32, T 10 N, R 6 E

40.00 Set q. sec. post from which
 an Oak 8 in. dia. bears N 53 W 20 lbs. dist. 18
 a Hackberry " " " S 49 E 17 " "

80.00 Set post cor. of sec. 31 & 32 from which

T. 9 N., R. 6 E. 2. Mer. Ind. a

a — 6 in. diameter N 16 E 1 lb. dist. 8
 an Ash 8 " " " S 21 W 9 " "
 Over rich land, timber Hackberry, Ash, Walnut
 & Upr. Spice

West on the S. Boundary of Sec. 31, T 10 N, R 6 E

40.00 set g. sec. post from which

a Cherry 7 in. diameter N 8 1/2 W 9 lbs. dist. 8
 an Oak 14 " " " S 52 W 25 " "

77.55 set post cor. of T. 9 & 10 N, R. 5 & 6 E, 226 lbs. S. of
 temp. post, from which

a Sugar 10 in. diameter North 7 lbs. dist. 8
 a Hickory 12 " " " S 1 W 26 " "

Over rich land, timber Hackberry, Sugar,
 Walnut &

West Boundary.

North on the E. Boundary of Sec. 36, T 9 N, R 5 E

1.10 set post on right bank of Driftwood from which

a Boxelder 10 in. diameter S 7 E 44 lbs. dist. 8
 a Sycamore 15 " " " S 48 1/2 E 35 " "

6.40 set post on left bank of River from which

a Cottonwood 4 in. diameter S 44 W 27 lbs. dist.

18.30 Entered River, course S W. up the same

35.00 Entered left bank of River

40.00 set g. sec. post from which

an Elm 36 in. diameter N 36 W 5 lbs. dist. 8
 a Do 15 " " " N 30 E 10 " "

80.00 set post cor. of sec. 25 & 36 from which

a Buckeye 10 in. diameter S 80 1/2 W 6 lbs. dist. 8
 a Do 7 " " " S 13 E 30 " "

Over low ground, part overflowed, timber Beech,
 Sycamore Bl. Ash & Upr. Spice & Grape vines,
 soil good

T. 9 N., R. 6 E. 2. Mer. Ind. a

North on the E. Boundary of Sec. 25, T10 N, R5 E

40.00 Set of sec. post from which

a Hickory 6 in. dia. bears N 31 1/2 W 10 Ms. dist - 8

an Iron Beech 6 " " S 13 1/2 E 10 " "

59.26 a Buckeye 27 " "

74.10 a Locust 45 Ms. in dense woods S W

80.00 Set post cor. of sec. 24 & 25 from which

a Beech 30 in. dia. bears N 64 E 25 Ms. dist - 8

a Do 30 " " S 77 W 35 " "

Over low ground, timber Beech, Bl. Ash, Hackberry & Upr. Spice, Pawpaw &c.

North on the E. Boundary of Sec. 24, T10 N, R5 E

..... a Hickory 20 in. dia.

40.00 Set of sec. post from which

a Beech 9 in. dia. bears S 44 W 4 Ms. dist - 8

a Do 5 " " S 84 W 8 " "

49.74 a Do 24 " "

80.00 Set post cor. of sec. 13 & 24 from which

a Beech 9 in. dia. bears S 19 W 16 Ms. dist - 8

an Ash 4 " " N 26 W 24 " "

Over level ground, timber Beech, B. Walnut, Bl. Ash & Upr. Spice, Soil good

North on the E. Boundary of Sec. 13, T10 N, R6 E

15.16 a Beech 18 in. dia.

40.00 Set of sec. post from which

a Beech - in. dia. bears S 16 1/2 E 21 Ms. dist - 8

a Do 15 " " N 29 W 24 " "

62.00 a Do 20 " "

80.00 Set post cor. of sec. 12 & 13 from which

a Bl. Ash 12 in. dia. bears S 38 W 8 Ms. dist - 8

a Sugar 10 " " N 39 W 15 " "

Over level ground, timber Beech, Bl. Ash,

T. 9 N., R. 6 E., 2^d Mer. Ind.^a

Walnut - Upr. Spruce, Hackberry & rich soil

North on the E. Boundary of Sec. 12, T. 9 N., R. 5 E.
15.56 a Blue Ash 6 in. dia.

40.00 set of sec. post from which

a Sugar 15 in. dia. bears N 34 E 5 1/2 Ms. dist. 8

a Do 9 " " " S 40 W 22 " "

59.30 a W. Oak 20 " "

80.00 set post cor. of sec. 12 & 12 from which

a Dogwood - in. dia. bears N 49 W 34 1/2 Ms. dist. 8

a Hickory 6 " " " S 16 E 8 " "

Over level land, timber Beech, Walnut,
Ash & rich soilNorth on the E. Boundary of Sec. 1, T. 9 N., R. 5 E.
8.85 a Hickory 15 in. dia.

40.00 set of sec. post from which

a Hickory 12 in. dia. bears N 70 E 12 1/2 Ms. dist. 8

a Gum 7 " " " S 67 W 14 " "

77.74 Town corner established on the E. & W. line
June 9. 1819. Surveyed byJohn M. Donald
Dep. Surveyor.

Subdivision.

Var. 6° 45' E. marked at corner of Township,
but found it necessary to run at 6° to run
parallel with Range line

North between Sec. 35 & 36, T. 9 N., R. 6 E.

22.00 a W. Elm 18 in. dia.

40.00 set of sec. post from which

a Beech 10 in. dia. bears East 37 1/2 Ms. dist. 8

a W. Ash 3 " " " N 54 W 11 " "

62.58 a Beech 12 " "

T. G. N., R. 6 E. 2. Mer. Ind. A.

66.00	enter new fallen timber
80.00	set post cor. of sec. 25, 26, 35 & 36 from which an Ironwood 4 in. dia. bears N 82° W 18 lbs. dist. 8, a Beech 20 " " " N 70° W 26 " " Rolling Prater land, Beech, Hickory, Oak, Ash, v. Upr. Ironwood, Spice v.
East on Random between Sec. 25 & 36	
40.00	set temp. g. sec. post
81.50	Intersect E. Boundary 76 lbs. S. of post - Rolling Prater land, Beech, Poplar, Ash v. Upr. Spice
West Connected between Sec. 25 & 36	
40.75	set g. sec. post at aver. dist. from which a Beech 12 in. dia. bears N 23° E 19 lbs. dist. 8, a Do 12 " " " S 25° E 20 " " 81.50 to sec. cor.
North between Sec. 25 & 26	
25.50	a Beech 18 in. dia.
40.00	set g. sec. post from which a Beech 10 in. dia. bears S 88° W 28 lbs. dist. 8, a Do 10 " " " S 67° E 7 " "
45.00	have fallen timber
69.90	a Beech 24 in. dia.
80.00	set post cor. of sec. 23, 24, 25 & 26 from which a Beech 8 in. dia. bears N 82° W 13 lbs. dist. 8, a Poplar 12 " " " N 77° E 9 " " Level Prater land, Beech, Poplar, Ash, Hickory Upr. Spice
East on Random between Sec. 24 & 25	
40.00	set temp. g. sec. post

T. G. N., R. C. E. L. Mer. Ind.^a

91

81.66 Intersect E. Boundary 190 W. S. of port -
Flat wet land, Beech, Hickory, Gum, Oak; Upr.
Hornbeam &c.

West Corrected between Sec. 24 & 25

40.83 Set g. sec. post at aver. dist. from which
a W. Ash 10 in. diam bears S 13° W 23 lbs. dist. 8
a W. Oak 12 " " " N 37° E 16 " "

81.66 to sec. cor.

North between Sec. 23 & 24

21.18 a Beech 30 in. dia.

40.00 Set g. sec. post from which
a Beech 3 in. diam bears S 83° W 5 lbs. dist. 8
a Do 18 " " " S 63° E 36 " "

62.40 a Do 20 " "

80.00 Set post cor. of sec. 13, 14, 23 & 24 from which
a Hackberry 8 in. diam bears S 76° W 40 lbs. dist. 8
a Beech 15 " " " N 41° E 13 " "
Broken & ruts land, Beech, Poplar, Ash, Oak &c.
Upr. Ironwood, Spice &c.

East on Random between Sec. 13 & 24

40.00 Set temp. g. sec. post

81.75 Intersect E. Boundary 200 W. S. of port -
Broken & ruts land, Beech, Sugar, Ash &c. Upr.
Spice &c.

West Corrected between Sec. 13 & 24

40.87 Set g. sec. post at aver. dist. from which
a Hornbeam 6 in. diam bears S 15° W 48 lbs. dist. 8
a Beech 30 " " " N 59° W 43 " "

81.75 to sec. cor.

T. G. N., R. O. O. I. Mer. Ind. a

North between Sec. 13 & 14

1.44 crossed Clifty Creek 80 yds. wide runs W
22.40 a W. Ark 24 in. dia.40.00 set g. sec. post from which
a Beech 15 in. dia. bears N 30 W 8 yds. dist. &
a W. Ark 8 " " " S 15 E 36 " "

56.65 a Sugar 12 " "

80.00 set post cor. of sec. 11, 12, 13 & 14 from which
a Beech 24 in. dia. bears S 44 W 15 yds. dist. &
a Do 16 " " " N 23 E 36 " "First point level State - last 1/2 mile broken State
Beech, Sugar, Ark, Poplar, Hickory & Upr. Spruce

East on Random between Sec. 12 & 13

40.00 set temp. g. sec. post

81.48 Intersect E. Boundary 128 yds. S. of post -
Rolling State land, Beech, Hickory, Poplar &
Upr. Dogwood, Spruce

West Connected between Sec. 12 & 13

40.74 set g. sec. post at aver. dist. from which
a Beech 6 in. dia. bears S 64 E 5 yds. dist. &
a Poplar 12 " " " S 54 W 9 " "

81.48 to sec. cor. October 26, 1819

North between Sec. 11 & 12

21.50 a Beech 20 in. dia.

40.00 set g. sec. post from which
a Beech 4 in. dia. bears N 74 E 4 yds. dist. &
a W. Ark 18 " " " N 74 W 9 " "

56.75 a Sugar 15 " "

80.00 set post cor. of sec. 1, 2, 11 & 12 from which
a Beech 4 in. dia. bears N 74 E 4 yds. dist. &
a Do 10 " " " N 20 W 26 " "

T. G. N., R. O. E. 2. Mer. Ind.

93

Rolling 2nd rate land, Beech, Ash, Sugar, Poplar,
Hickory; Ulp. Spice

East on Random between Sec. 1 & 12

40.00 set temp. g. sec. post

81.00 Intersect E. Boundary 386 lbs. S. of post -
Level 2nd rate land, Beech, Ash, Poplar & Spice

West Connected between Sec. 1 & 12

40.80 set g. sec. post at aver. dist. from which
a Beech 18 in. dia. bears S 44° W 26 lbs. dist. 8
a Do 12 " " " N 14° E 18 " "

81.00 to sec. cor.

North between Sec. 1 & 2

21.00 a Beech 12 in. dia.

40.00 set g. sec. post from which

a Poplar 6 in. dia. bears S 34° W - lbs. dist. 8

a Beech 16 " " " S 64° W 26 " "

63.46 a W. Ash 12 " "

81.63 Intersect N. Boundary 220 lbs. W. of post -

set post at intersection cor. of Sec. 1 & 2 from which

a Beech 12 in. dia. bears N 15° E 8 lbs. dist. 8

a Do 6 " " " S 59° W 19 " "

Level 2nd rate land, Beech, Ash, Oak, Poplar

North between Sec. 34 & 35

22.69 a Beech 15 in. dia.

40.00 set g. sec. post from which

a Hickory 15 in. dia. bears S 15° W 23 lbs. dist. 8

a Beech 12 " " " S 12° E 19 " "

69.20 a Do 15 " "

80.00 set post cor. of Sec. 26, 27, 34 & 35 from which

a Beech 12 in. dia. bears North 2 lbs. dist. 8

T. G. N., R. O. E. I. Mer. Ind. a

a Beech 10 in. dia. bears S 10 E 25 lbs. dist.

Level 3 rats land, Beech, Poplar, Hickory, Spice

East on Random between Sec. 26 & 35

40.00 set up g. sec. post

79.80 Intersect N & S line 130 lbs. S. of post -

Flat wet land, Beech, Oak, Ash, Gum & Beech &

West connected between Sec. 26 & 35

39.90 set g. sec. post at aver. dist. from which

a W. Ash 15 in. dia. bears N 50 W 28 lbs. dist. 8

a Gum 12 " " " N 45 E 23 " "

79.80 to sec. cor. of post

North between Sec. 26 & 27

5.00 enter fallen timber

34.39 a Beech 15 in. dia.

40.00 set g. sec. post from which

a W. Oak 30 in. dia. bears N 80 E 21 lbs. dist. 8

a W. Ash 6 " " " S 40 W 21 " "

68.00 left fallen timber

80.00 set post cor. of Sec. 22, 23, 26 & 27 from which

a W. Ash 13 in. dia. bears S 4 W 7 lbs. dist. 8

a Beech 18 " " " N 4 W 34 " "

Rolling 3 rats land, Beech, Oak, Ash &

October 27. 1819

East on Random between Sec. 23 & 26

40.00 set up g. sec. post

79.72 Intersect N & S line 112 lbs. S. of post -

Rolling 3 rats land, Beech, Oak, Hickory, Ash &

Wp. Dogwood, Spice

West connected between Sec. 23 & 26

T. G. N., R. O. E. L. Mer. Ind. a.

39.86 set g. sec. port at aver. dnt. from which
 a Hickory 30 in. diameter N 4 E 24 lbs. dnt. 8
 a Beech 10 " " " N 55 E 19 " "
 79.72 to sec. cor.

North between Sec. 22 & 23

29.18 a Beech 15 in. dia.

40.00 set g. sec. port from which
 a W. Ash 14 in. diameter S 23 E 10 lbs. dnt. 8
 a Beech 14 " " " West 18 " "

57.63 a Do 18 " "

80.00 set port cor. of Sec. 14, 15, 22 & 23 from which
 a Blue Ash 10 in. diameter S 24 E 34 lbs. dnt. 8
 a Hornbeam 4 " " " N 44 W 21 " "
 Broken 2. rate land, Beech, Ash, Poplar & Spice

East on Random between Sec. 14 & 23

40.00 set temp. g. sec. port

49.50 crossed Clifty Creek 100 lbs. wide course N 4 W

70.50 crossed Do course S 4 W

79.65 Entered N. G. Line 114 lbs. S. of port -

Broken 2. rate land, Beech, Sugar, Ash, Oak &
 Ugly Spice

West corrected between Sec. 14 & 23

39.82 set g. sec. port at aver. dnt. from which
 a Beech 18 in. diameter S 15 E 13 lbs. dnt. 8
 a Buckeye 6 " " " N 85 W 17 " "

79.65 to sec. cor.

North between Sec. 14 & 15

9.73 to Clifty Creek, runs W

27.82 a Walnut 48 in. dia.

40.00 set g. sec. port from which

T. G. N., R. C. E. I. Mer. Ind.?

a W. Elm 4 in. diameter S 16 E 7 lbs. dirt. 8
 a Do 6 " " " S 17 W 12 " "
 61.00 a W. Oak 60 " "
 80.00 set posts cor. of Sect. 10, 11, 14 & 15 from which
 a Beech 15 in. diameter S 73 E 19 lbs. dirt. 8
 a Do 18 " " " N 49 W 25 " "
 Level Prato land, Beech, Sugar, Poplar, Elm,
 Wyl. Spice

East on Random between Sect. 11 & 14

40.00 set temp. g. sec. post
 79.78 Intersect N. S. line 200 lbs. S. of post -
 Broken 3 Prato land, Beech, Hickory, Poplar, Oak

West Connected between Sect. 11 & 14

39.89 set g. sec. post at aver. dirt. from which
 a Beech 18 in. diameter S 45 W 23 lbs. dirt. 8
 a Poplar 15 " " " N 50 W 26 " "
 79.78 to sec. cor.

North between Sect. 10 & 11

14.42 a W. Ash 18 in. dia.
 40.00 set g. sec. post from which
 a W. Ash 12 in. diameter N 54 W 7 lbs. dirt. 8
 a B. Ash 10 " " " N 60 E 12 " "
 61.50 a Beech 18 " "
 80.00 set posts cor. of Sect. 2, 3, 10 & 11 from which
 a Hickory 15 in. diameter N 63 E 12 lbs. dirt. 8
 a Do 18 " " " S 43 W 15 " "
 Level Prato land, Beech, Ash, Hickory & Spice

East on Random between Sect. 2 & 11

40.00 set temp. g. sec. post
 80.00 Intersect N. S. line 190 lbs. S. of post -

T. G. N., R. O. E. 2^d Mer. Ind.?

Level 2^d rate land, Beech, Ash, Poplar, Oak Ulp.
Spice

West Corrected between Sect. 2 & 11

40.00 set of sec. port at aver. dist. from which
a Beech 8 in. diameter S 72° W 14 lbs. dist. 8
a Do 30 " " S 75° E 22 " "
80.00 to sec. cor.

North between Sect. 2 & 3

31.00 a Beech 20 in. dia.
40.00 set of sec. port from which
a Beech 15 in. diameter N 68° E 29 lbs. dist. 8
a Do 16 " " N 19° W 30 " "
69.66 a R. Oak 30 " "
83.66 Intersect N. Boundary 195 lbs. W. of port -
set port at intersection cor. of Sect. 2 & 3 from which
a Beech 20 in. diameter West 10 lbs. dist. 8
a Do 24 " " S 75° E 34 " "
Level 2^d rate land, Beech, Oak, Ash, Poplar &
Ulp. Spice - October 28. 1819

North between Sect. 33 & 34

20.10 a Hickory 12 in. dia.
40.00 set of sec. port from which
a Beech 18 in. diameter S 85° W 9 lbs. dist. 8
a W. Ash 20 " " N 30° E 20 " "
66.87 a Beech 20 " "
80.00 set port cor. of Sect. 27, 28, 33 & 34 from which
a W. Ash 22 in. diameter N 40° W 14 lbs. dist. 8
a Beech 20 " " S 55° E 16 " "
Level 2^d rate land, Beech, Ash, Hickory & Spice

East or Random between Sect. 27 & 34

T. G. N., R. C. E. I. Mer. Ind. a

40.00 Set g. sec. (perhaps) on which

79.40 Intersect N & S. line 125 lbs. S. of port -
Level 2. ratolaud, Beech, Oak, Ash, Hickory,
Wyr. Spice

West Connected between Sec. 27 & 34

39.70 Set g. sec. port at aver. dist. from which
a Beech 20 in. diam bears S 77° W 6 lbs. dist. 3
a Sh 24 " " " S 47° E 7 " "

79.40 to sec. cor.

North between Sec. 27 & 28

15.37 a R. Oak 12 in. dia.

38.00 enter fallen timber

40.00 Set g. sec. port from which
a Dogwood 5 in. diam bears S 55° W 19 lbs. dist. 3
a Beech 6 " " " N 47° W 25 " "

65.66 a Sh 16 " "

78.00 leave fallen timber

80.00 Set port cor. of Sec. 21, 22, 27 & 28 from which
a Beech 4 in. diam bears N 74° W 3 lbs. dist. 3
a Sh 12 " " " S 55° E 23 " "
Level 2. ratolaud, Beech, Oak, Ash, Poplar,
Wyr. Spice

East on Randon between Sec. 22 & 27

40.00 Set temp. g. sec. port

79.60 Intersect N & S. line 76 lbs. S. of port -
Rolling 2. ratolaud, Beech, Ash, Poplar, Sugar &
Wyr. Spice

West Connected between Sec. 22 & 27

39.80 Set g. sec. port at aver. dist. from which
a Poplar 60 in. diam bears S 20° W 16 lbs. dist. 3

T. G. N., R. C. E. L. Mer. Ind. a

a Beech 24 in. diam. S 40 E 9 Ms. dirt.
79.00 to sec. cor.

North between Sec. 21 & 22

28.66 a Beech 15 in. dia.

40.00 dit of sec. port from which

a Beech 20 in. diam. South 33 Ms. dirt. &

a Do 15 " " " N 85 W 27 " "

69.40 a Do 18 " "

80.00 dit port cor. of sec. 15, 16, 21 & 22 in Clifty Creek
which runs W. from which

a Cottonwood 12 in. diam. S 10 E 100 Ms. dirt. &

a Do 15 " " " S 10 W 100 " "

Broken Prato land, Beech, Ark, Oak, Poplar
& Wyp. Spruce

East on Random between Sec. 15 & 22

40.00 dit temp. of sec. port

79.82 Intersect N & S line 68 Ms. S. of port -

Broken Prato land, Beech, Ark, Oak, Sugar &
Wyp. Spruce

West Connected between Sec. 15 & 22

39.91 dit of sec. port at aver. dirt from which

a Beech 18 in. diam. S 89 E 9 Ms. dirt. &

a Do 15 " " " N 50 W 18 " "

79.82 to sec. cor.

North between Sec. 15 & 16

19.96 a Beech 18 in. dia.

40.00 dit of sec. port from which

a Beech 8 in. diam. S 60 E 7 Ms. dirt. &

a R. Elm 6 " " " N 78 W 5 " "

70.50 a R. Oak 24 " "

T. G. N., R. 6 E. 2. Mer. Ind. a

80.00 Set post cor. of sec. 9, 10, 15 & 16 from which
 a Beech 24 in. dis. bears S 65° W 26 lbs. dist. 8
 a Poplar 40 " " " S 75° E 28 " "
 Rolling 2nd rate land, Beech, Oak, Poplar, Ash,
 Elm; Uly. Spice

East on Random between Sec. 10 & 15

40.00 Set temp. g. sec. post

79.71 Intersect N & S. line 24 lbs. S. of post -
 Rolling 2nd rate land, Beech, Oak, Hickory, Ash &
 Uly. Spice

West Connected between Sec. 10 & 15

39.85 Set g. sec. post at aver. dist. from which
 a Beech 12 in. dis. bears N 75° E 10 lbs. dist. 8
 a Hickory 8 " " " S 48° W 13 " "

79.71 to sec. cor.

North between Sec. 9 & 10

144.50 a W. Oak 36 in. dis.

40.00 Set g. sec. post from which
 a Beech 15 in. dis. bears S 80° E 9 lbs. dist. 8
 a W. Oak 24 " " " N 51° W 11 " "

80.00 Set post cor. of sec. 3, 4, 9 & 10 from which
 a Beech 15 in. dis. bears S 15° E 28 lbs. dist. 8
 a Sugar 12 " " " N 44° W 23 " "
 Rolling 2nd rate land, Beech, Oak, Ash, Hickory,
 Sugar, Poplar; Uly. Spice - October 29. 1879

East on Random between Sec. 3 & 10

40.00 Set temp. g. sec. post

79.66 Intersect N & S. line 50 lbs. S. of post -
 Rolling 2nd rate land, Beech, Oak, Sugar, Ash
 Uly. Spice

T. G. N., R. C. E. L. Mer. Ind. a

West Concited between Sect. 3 & 10

39.83 set of sec. port at aver. dist. from which
 a Beech 18 in. diam bears S 61 E 24 lbs. dist. 8
 a Sugar 20 " " " N 34 W 26 " "
 79.66 to sec. cor.

North between Sect. 3 & 14

25.28 a W. Elm 20 in. diam.

40.00 set of sec. port from which
 a W. Ash 20 in. diam bears S 65 W 9 lbs. dist. 8
 a Hickory 6 " " " N 80 E 2 " "

83.10 Intersect N. Boundary 325 lbs. N. of port -
 set port at intersection cor. of Sect. 3 & 14 from which
 a Beech 10 in. diam bears S 35 E 19 lbs. dist. 8
 a W. Ash 8 " " " N 20 W 11 " "
 Flat wet 3rd rate land, Beech, Oak, Ash,
 Maple &c.

North between Sect. 32 & 33

21.00 a Beech 12 in. diam.

40.00 set of sec. port from which
 a Poplar 6 in. diam bears S 34 W 3 lbs. dist. 8
 a Cottonwood 12 " " " N 37 W 15 " "

69.00 a Sycamore 36 " "

75.00 crossed Clefty Creek runs S 20 E

80.00 set port cor. of Sect. 28, 29, 32 & 33 from which
 a Beech 30 in. diam bears N 84 W 15 lbs. dist. 8
 a Sugar 3 " " " S 64 E 16 " "
 Broken 2nd rate land, Beech, Poplar, Sugar &c.
 Wyr. Spice

East on Random between Sect. 28 & 33

40.00 set temp. of sec. port

80.62 Intersect N. S. line 10 lbs. S. of port -

T. G. N., R. C. E. I. Mer. Ind. a

Broken L. rate land, Beech, Ark, Poplar, Sugar
 & Uly. Spice

West Connected between Sec. 28 & 33

40.31 set g. sec. post at aver. dist. from which
 a W. Ark 10 in. dis. bears S 4 E 28 lbs. dist. 2
 a Gum 15 " " North 23 " "
 80.62 to sec. cor.

North between Sec. 28 & 29

21.75 a Beech 18 in. dis.
 25.00 crossed Clifty Creek, runs S W
 40.00 set g. sec. post from which
 a Sugar 18 in. dis. bears N 50 W 23 lbs. dist. 2
 a Do 15 " " S 50 E 33 " "
 47.00 crossed Clifty Creek, runs S E
 58.50 crossed Do " S W
 60.50 a Sugar 12 in. dis.
 80.00 set post cor. of sec. 20, 21, 28 & 29 from which
 a Hackberry 16 in. dis. bears S 12 W 18 lbs. dist. 2
 a W. Ark 18 " " N 68 W 21 " "
 Over low bottom, Sycamore, Hackberry, Sugar &

East on Randon between Sec. 21 & 28

10.50 crossed Clifty Creek, runs S W
 40.00 set temp. g. sec. post
 80.74 Intersect N. S. line 20 lbs. S. of post -
 Broken L. rate land, Beech, Oak, Ark, Sugar
 & Uly. Spice

West Connected between Sec. 21 & 28

40.37 set g. sec. post at aver. dist. from which
 a Beech 10 in. dis. bears S 70 E 31 lbs. dist. 2
 a W. Ark 12 " " S 20 W 27 " "

T. G. N., R. C. E. I. Mer. Ind. a

80.74 to Sec. cor.

North between Sec. 20 & 21

10.00 enter fallen timber

20.00 a Beech 36 in. dia.

40.00 set g. sec. post in fallen timber, no Bearing trees

70.00 leave fallen timber

80.00 set post cor. of sec. 16, 17, 20 & 21 from which
a Maple 16 in. dia. bears East 11 lbs. dist. 8,
a Ash 8 " " " S 40° W 16 " "Over Bottom flat land, Beech, Sugar, Hickory
Maple &c. October 30. 1819

East on Random between Sec. 16 & 21

40.00 set temp. g. sec. post

61.00 crossed Clifty Creek, runs S W

66.00 crossed " " " N W

80.84 Intersect N & S line 25 lbs. S. of post -

First 1/2 mile wet land - last 1/2 mile Creek & low
Bottom, Beech, Ash, Hickory, Maple

West located between Sec. 16 & 21

14.84 crossed Clifty Creek

19.84 " " " "

40.42 set g. sec. post at aver. dist. from which

a Beech 15 in. dia. bears S 44° W 43 lbs. dist. 8,

a W. Ash 8 " " " N 60° E 65 " "

80.84 to Sec. cor.

North between Sec. 16 & 17

29.08 a W. Ash 30 in. dia.

40.00 set g. sec. post from which

a Sugar 10 in. dia. bears S 76° W 19 lbs. dist. 8,

a Poplar 24 " " " N 57° E 21 " "

T. G. N., R. C. O. 2. Mer. Ind. a

67.20 a W. Ash 18 in. dia.

80.00 ditto post con. of Sec. 8, 9, 10 & 17 from which
a W. Oak 34 in. dia. bears S 58 E 17 1/2 m. dist. &
a Beech 15 " " " N 76 W 53 " "
First 1/2 mile flat wet land, last 1/2 mile level
S. rate, Beech, Maple, Oak, Ash, Sugar-Spruce

East on Random between Sec. 9 & 16

40.00 ditto temp. g. sec. post

80.00 Intersect N. S. line 62 1/2 m. E. of post -
Level S. rate land, Beech, Ash, Oak, Poplar, Sugar
Spruce

West connected between Sec. 9 & 16

40.30 ditto g. sec. post at aver. dist. from which
a Beech 12 in. dia. bears S 58 E 13 1/2 m. dist. &
a Do 18 " " " S 65 W 25 " "

80.00 to sec. con.

North between Sec. 8 & 9

25.05 a Beech 20 in. dia.

40.00 ditto g. sec. post from which
a Blue Ash 12 in. dia. bears N 67 W 30 1/2 m. dist. &
a Beech 24 " " " S 67 E 12 " "

68.57 a Hickory 30 " "

80.00 ditto post con. of Sec. 4, 5, 8 & 9 from which
a W. Elm 10 in. dia. bears S 60 W 17 1/2 m. dist. &
a Blackberry 6 " " " N 78 E 27 " "
Rolling S. rate land, Beech, Oak, Poplar, Ash &
Spruce

East on Random between Sec. 4 & 9

40.00 ditto temp. g. sec. post

80.76 Intersect N. S. line 77 1/2 m. E. of post -

T. G. N., R. O. E. L. Mer. Ind. a.

Rolling T. rate land, Beech, Oak, Ash, Sugar,
Ulp. Spice

West Connected between Sec. 4 & 9

40.38 dit of sec. port at aver. dist. from which
a R. Oak 18 in. diam. S 52 E 9 M. dist. 8
a Gum 12 " " " N 17 W 6 " "
80.76 to sec. cor.

North between Sec. 4 & 5

20.05 a Hackberry 18 in. dia.

40.00 dit of sec. port from which

a Walnut 20 in. diam. N 24 E 58 M. dist. 8
a Beech 30 " " " S 14 E 37 " "

54.50 a Sugar 12 " "

82.50 Intersect the N. Boundary 350 M. N. of port —
dit port at intersection cor. of Sec. 4 & 5 from which
a Walnut 12 in. diam. S 21 W 25 M. dist. 8
a W. Ash 3 " " " N 4 E 12 " "
Level T. rate land, Beech, Sugar, Hackberry,
Walnut; Ulp. Spice &c.

North between Sec. 31 & 32

27.71 a W. Elm 24 in. dia.

40.00 dit of sec. port from which

a Beech 6 in. diam. N 60 W 16 M. dist. 8
a Sugar 15 " " " S 58 E 26 " "

69.63 a Beech 20 " "

80.00 dit port cor. of sec. 29, 30, 31 & 32 from which

a Beech 6 in. diam. S 8 E 17 M. dist. 8
a Do 6 " " " N 35 W 15 " "

Level T. rate land, Beech, Sugar, Elm, Ash &c.
Ulp. Spice & Pawpaw

T. G. N., R. C. E. J. Mer. Ind. a

East on Random between Sec. 29 & 32

40.00 set temp. of sec. port

75.00 crossed Gifty Creek, runs SE

81.00 Intersect N. G. line 70 Mr. S. of port

Level T. rate land, Beech, Sugar, Ash, Elm & Spice

West Corrected between Sec. 29 & 32

40.50 set of sec. port at av. dist. from which

a Beech 10 in. diameter S 60 E 23 Mr. dist. 8

a Do 20 " " " N 37 W 32 " "

81.00 to sec. cor. October 31. 1819

West between Sec. 30 & 31

25.50 a Beech 18 in. dia.

40.00 set of sec. port from which

a Beech 12 in. diameter N 64 W 14 Mr. dist. 8

a Do 24 " " " S 75 E 14 " "

72.02 Intersect N. Boundary 55 Mr. S. of port

set port at intersection on of sec. 30 & 31 from which

a W. Elm 4 in. diameter S 4 W 20 Mr. dist. 8

a Beech 8 " " " N 20 W 36 " "

Over T. rate Bottom, Beech, Sugar, Hackberry, Elm
& Wyr. Spice

North between Sec. 29 & 30

18.30 a Sugar 12 in. dia.

40.00 set of sec. port from which

a Beech 15 in. diameter N 56 W 16 Mr. dist. 8

a Do 18 " " " S 61 E 20 " "

55.00 a Sugar 20 " "

80.00 set port on of sec. 19, 20, 29 & 30 from which

a Bl. Ash 29 in. diameter West 5 Mr. dist. 8

a Sugar 6 " " " West 7 " "

First flat level land, Sugar, Ash, Beech, Hackberry.

T. G. N., R. O. E. L. Mer. Ind. a

Uly. Spice

East on Random between Sec. 20 & 29

40.00 sit temp. g. sec. post

80.56 Intersect N. S. line 120 W. S. of post -

Level T. rate land, Beech, Ash, Sugar, Oak
Uly. Spice

West Carried between Sec. 20 & 29

40.28 sit g. sec. post at aver. dist. from which
a Beech 20 in. diameter N 66 E 17 W. dist. 8
a Do 8 s s s N 85 W 6 s s

80.56 to sec. cor.

West between Sec. 19 & 30

13.90 a Cherry 18 in. dia.

40.00 sit g. sec. post from which
a Beech 12 in. diameter N 67 W 14 W. dist. 8
a Do 24 s s s S 75 E 14 s s

68.30 a Do 30 s s

73.65 Intersect W. Boundary 147 W. S. of post -

sit post at intersection cor. of sec. 19 & 30 from which

a Bur Oak 12 in. diameter N 62 E 31 W. dist. 8

a Beech 12 s s s S 75 W 41 s s

Level T. rate land, Sugar, Beech, Ash, Hackberry
Uly. Spice

North between Sec. 19 & 20

22.75 a W. Ash 24 in. dia.

40.00 sit g. sec. post from which

a Sugar 12 in. diameter S 65 W 18 W. dist. 8

a Beech 4 s s s N 15 E 11 s s

enter fallen timber

80.00 sit post cor. of sec. 17, 18, 19 & 20 from which

T. G. N., R. O. E. J. Mer. Ind. a.

a Locust 24 in. dia. leans S 30 E 50 lbs. dit. & 8
 a B. Ash 15, , , N 27 W 53, ,
 Level 1st rate land, Sugar, Ash, Beech, Oak &
 Wyr. Spice

East on Random between Sec. 17 & 20

40.00 dit temp. q. sec. port

80.42 Intersect N. S. line 108 lbs. S. of port -

Level 2nd rate land, Beech, Sugar, Oak, Poplar,
 Wyr. Spice

West Corrected between Sec. 17 & 20

40.21 dit q. sec. port at aver. dit. from which

a Sugar 10 in. dia. leans N 15 W 31 lbs. dit. & 8

a Beech 8, , , S 73 E 8, ,

80.42 to Sec. cor. November 1. 1819

West between Sec. 18 & 19

a Sugar 15 in. dia.

15.10 dit q. sec. port at aver. dit. from which

40.00 a Beech 6 in. dia. leans N 16 W 13 lbs. dit. & 8

a Hornbeam 4, , , S 30 W 22, ,

73.09 Intersect W. Boundary 138 lbs. S. of port -

dit port on. of Sec. 18 & 19 from which

a Sugar 5 in. dia. leans N 5 E 7 lbs. dit. & 8

a Beech 7, , , S 31 W 19, ,

Level 1st rate land, Sugar, Beech, Ash, Oak
 & Wyr. Spice

North between Sec. 57 & 18

39.00 have fallen timber

40.00 dit q. sec. port from which

a Beech 6 in. dia. leans S 32 E 10 lbs. dit. & 8

a W. Oak 4, , , N 50 E 5, ,

63.20 a W. Elm 20, ,

T. G. N., R. C. O. L. Mer. Ind.^a

80.00 set port cor. of sec. 7, 8, 17 & 18 from which
 a R. Locust 6 in. dia. bears S 68 E 6 lbs. dist. 3
 a R. Elm 8 " " " N 36 W 7 " "
 Sec'd T. State land, Sugar, Beech, Elm, Locust
 & Uly. Spice

East on Random between Sec. 8 & 17

40.00 set temp. g. sec. port

80.68 Intersect N. H. line 145 lbs. S. of port -
 Sec'd T. State land, Beech, Ash, Sugar, Poplar
 & Uly. Spice

West corrected between Sec. 8 & 17

40.34 set g. sec. port at aver. dist. from which
 a Blue Ash 4 in. dia. bears N 80 W 14 lbs. dist. 8
 a W. Oak 3 " " " N 64 E 13 " "
 80.68 to sec. cor.

West between Sec. 7 & 18

16.00 a B. Walnut 24 in. dia.

40.00 set g. sec. port from which
 a Hornbeam 4 in. dia. bears S 26 E 27 lbs. dist. 8
 a Hackberry 18 " " " S 45 W 41 " "

55.95 a Cherry 18 " "

74.83 Intersect W. Boundary 319 lbs. S. of port -
 set port at intersection cor. of sec. 7 & 18 from which
 a R. Elm 10 in. dia. bears N 16 W 12 lbs. dist. 8
 a Hackberry 3 " " " S 67 W 11 " "
 Sec'd T. State land, Ash, Elm, Walnut, Hackberry
 Cherry & Uly. Spice

North between Sec. 7 & 8

36.64 a Blue Ash 20 in. dia.

40.00 set g. sec. port from which

T. G. N., R. C. E. I. Mer. Ind.^a

a Hackberry 18 in. diameter South 17th Ms. dist. 8
 a Hickory 12 " " North 18 " "
 75.00 a Hackberry 18 " "
 80.00 set post cor. of sec. 5, 6, 7 & 8 from which
 a W. Oak 12 in. diameter N 55 E 17th Ms. dist. 8
 a R. Elm 4 " " S 49 W 8 " "
 Level 1st rate land, Sugar, Ash, Elm, Walnut &
 Wyp. Spice

East on Random between Sec. 5 & 8

40.00 set temp. g. sec. post
 80.84 Intersect N. S. line 95th Ms. S. of post -
 Level 1st rate land, Sugar, Ash, Elm, Walnut,
 Hackberry & Wyp. Spice

West corrected between Sec. 5 & 8

40.42 set g. sec. post at aver. dist. from which
 a Sugar 12 in. diameter N 4 E 13th Ms. dist. 8
 a Beech 6 " " S 22 E 10 " "
 80.84 to sec. cor.

West between Sec. 6 & 7

21.58 a Sugar 12 in. dia.
 40.00 set g. sec. post from which
 a R. Elm 10 in. diameter N 60 E 11th Ms. dist. 8
 a Hornbeam 5 " " S 68 W 11 " "
 56.10 a Sugar 12 " "
 75.67 Intersect W. Boundary 284th Ms. S. of post -
 set post at intersection cor. of sec. 6 & 7 from which
 a Hickory 24 in. diameter N 54 W 8th Ms. dist. 8
 a Do 24 " " S 45 W 22 " "
 Level 1st rate land, Sugar, Elm, Ash, Hickory &
 Wyp. Spice November 2, 1819

T. G. N., R. O. E. 2^d Mer. Ind^a

North between Sec. 5 & 6

25.55 a Locust 12 in. dia.

40.00 set of sec. port from which

a Cherry 30 in. dia. runs N 65° W 17 1/2 m. dist. 3

a Bl. Ash 6 " " " N 84° E 8 " "

82.90 Intersect N. Boundary 125 m. W. of port

Set port at intersection on. of sec. 5 & 6 from which

a Walnut 50 in. dia. at port &

a Hackberry 15 " " bears East 12 m. dist.

Level 1. ^{1/2} water land, Ash, Sugar, Walnut,

Locust, Hackberry & Upr. Spice

Meanders of Driftwood on East fork of
White River. Left bank up stream.
Beginning at port in S. Boundary, thence

Courses Distances

Remarks

N 45° W 10.50

In Sec. 31

to port in W. Boundary

November 3. 1819

Subdivided by

B. F. Harris

Dep. Surveyor.

T. 9 N., R. 6 E. 2^d Mer. Ind.?

I certify that the foregoing transcript of
Field Notes of the survey of Township N. 9 North
in Range N. 6 East of the 2^d Principal Meridian
in the State of Indiana, has been compared
with the original on file in this office, and
found to be correct.

Surveyor General's Office } P. S. Seaine
Cincinnati, April 4. 1842 } Sur. Genl.